

**Schroader, Kathy**



**From:** Orjiako, Oliver  
**Sent:** Wednesday, May 18, 2016 4:35 PM  
**To:** Albrecht, Gary; Alvarez, Jose; Anderson, Colete; Euler, Gordon; Hermen, Matt; Kamp, Jacqueline; Lebowsky, Laurie; Lumbantobing, Sharon; Orjiako, Oliver; Schroader, Kathy; Wiser, Sonja  
**Subject:** FW: Comp Plan Public Hearing May 19th, 2016

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

FYI

---

**From:** Gus [<mailto:guss@harbengineering.com>]  
**Sent:** Wednesday, May 18, 2016 3:31 PM  
**To:** Orjiako, Oliver  
**Subject:** Comp Plan Public Hearing May 19th, 2016

Hi Oliver,

I hope this email finds you well. As you already know, we requested from the Planning Commission and Board of Councilor to maintain the Com Plan as MU on the Saddle Club property and have the zoning match the Comp Plan and be changed to MX. We plan on attending the public hearing tomorrow and making the same request again. We would like your support especially that in your staff report that you will be presenting to the Board, you indicate that the only zoning that comply with a Com plan of MU is basically MX. We greatly appreciate your assistance and look forward to a positive outcome.

Regards



Gus Harb, P.E.  
 Harb Engineering, Inc.  
 701 Columbia Street, Suite 111  
 Vancouver, WA 98660  
 Cell: 360.909.2397  
[www.harbengineering.com](http://www.harbengineering.com)

\*\*\*\*\*  
 \*\*\*\*\*NOTICE\*\*\*\*\*  
 \*\*\*\*\*

\*\*\*\*\*

This transmittal and/or attachments have been issued by Harb Engineering, Inc. The information contained in this email communication and any attached documentation may be privileged or confidential and is intended only for the use of the designated recipient (s). If you are not the intended recipient, you are hereby notified that you have received this transmittal in error; any review, dissemination, distribution or copying of this transmittal is strictly prohibited. If you have received this transmittal and/or attachments in error, please notify us immediately by return e-mail and promptly delete the original electronic e-mail communication and any attached documentation.